



HYDX

TWO-WAY RADIO MANUFACTURER

DMR
ODM&OEM
Radio Accessories

www.hydxdradio.com

Fujian Juston Electronic Equipment Co.,LTD.



Hotel



Catering




Fleet



Property



outdoor



ABOUT US

Established in 2011, Juston is a global supplier of high-quality wireless equipment and solutions. As a global top brand supplier, Juston has been providing plentiful professional customized services to high-end and professional customers since its establishment, maintaining close contact, and actively monitoring market changes and demands. As one of the few companies to master DMR technology and launch all these mainstream digital radio product lines, Juston devote to develop and produce higher performance, secure and reliable communication terminal products, and will do its best to highlight and further enhance its competitive advantage in the commercial DMR market.

 Awarded the title of "National High-tech Enterprise".
Member of "Responsibility Business alliance".
Comply with national safety production standards:

《Basic specification for work safety standardization of enterprises》 (GB/T 33000-2016)

《Technical specification for occupational health monitoring》 (GBZ188-2014)

《Quality Management System Certificate》 (GB/T 19000-2016/ISO 9001: 2015 Standard)



Digital Radio

10W IP68 DUAL BAND DIGITAL TWO-WAY RADIO

10W

D910Pro

400-470MHz&136-174MHz

5W/10W

Dual Band/Dual Standby

Stored 3000 Channels Capacity

2000mAh/3000mAh Battery Capacity

10000 Digital Contacts

Digital Encryption
ARC4/AES128/AES256 (optional)

Private/Group/All Call

Digital/Analog Mode

Emergency Alarm

Keyboard Lock

SMS

Monitor

Battery Save

Repeater

Scanning

VOX

DTMF

Type-C Charging (optional)

Recording 300H (optional)

Noise Reduction (optional)



Digital Radio

10W DUAL BAND DIGITAL TWO-WAY RADIO

10W

D2000Pro

- 400-470MHz&136-174MHz ■
- 5W/10W ■
- Dual Band/Dual Standby ■
- Stored 3000 Channels Capacity ■
- 2200mAh/2800mAh Battery Capacity ■
- 10000 Digital Contacts ■
- Digital Encryption ARC4/AES128/AES256 (optional) ■
- Private/Group/All Call ■
- Digital/Analog Mode ■
- Emergency Alarm ■
- Keyboard Lock ■
- SMS ■
- Monitor ■
- Battery Save ■
- Repeater ■
- Scanning ■
- VOX ■
- DTMF ■
- Recording 300H (optional) ■
- GPS (optional) ■
- Noise Reduction (optional) ■
- Type-C Charging (optional) ■

IP68 PROFESSIONAL DIGITAL TWO-WAY RADIO

D903



- 400-470MHzV ■
- 1W/4W ■
- Stored 64 Channels Capacity ■
- 2000mAh/3000mAh Battery Capacity ■
- 10000 Digital Contacts ■
- Digital Encryption ARC4/AES128/AES256 (optional) ■
- Private/Group/All Call ■
- Digital/Analog Mode ■
- Emergency Alarm ■
- Monitor ■
- Battery Save ■
- Repeater ■
- Scanning ■
- VOX ■
- DTMF ■
- Recording 300H (optional) ■
- Noise Reduction (optional) ■
- Type-C Charging (optional) ■



Digital Radio

5W IP68 DUAL BAND DIGITAL TWO-WAY RADIO

D910

- 400-470MHz&136-174MHz
- 1W/5W
- Dual Band/Dual Standby
- Stored 3000 Channels Capacity
- 2000mAh/3000mAh Battery Capacity
- 10000 Digital Contacts
- Digital Encryption ARC4/AES128/AES256 (optional)
- Private/Group/All Call
- Digital/Analog Mode
- Emergency Alarm
- Keyboard Lock
- SMS
- Monitor
- Battery Save
- Repeater
- Scanning
- VOX
- DTMF
- Recording 300H (optional)
- Noise Reduction (optional)
- Type-C Charging (optional)

Digital Radio

PROFESSIONAL DIGITAL TWO-WAY RADIO

D21Plus



- 400-470MHz ■
- 1W/4W ■
- NXDN+DMR ■
- Stored 128 Channels Capacity ■
- 1600mAh/2500mAh Battery Capacity ■
- 1000 Digital Contacts ■
- Digital Encryption ARC4/AES128/AES256 (optional) ■
- Private/Group/All Call ■
- Digital/Analog Mixed Mode (Automatic recognition) ■
- Emergency Alarm ■
- Monitor ■
- Repeater ■
- Scanning ■
- VOX ■
- DTMF ■
- Firmware Update ■
- Noise Reduction (optional) ■
- Recording Max 1000H (optional) ■

Digital Radio **PROFESSIONAL DIGITAL TWO-WAY RADIO**

D260Plus



- 400-470MHz ■
- 1W/4W ■
- NXDN+DMR ■
- Stored 512 Channels Capacity ■
- 1600mAh/2500mAh Battery Capacity ■
- 1000 Digital Contacts ■
- Digital Encryption ARC4/AES128/AES256 (optional) ■
- Private/Group/All Call ■
- Digital/Analog Mixed Mode (Automatic recognition) ■
- Emergency Alarm ■
- Monitor ■
- Repeater ■
- Scanning ■
- VOX ■
- DTMF ■
- Firmware Update ■
- Noise Reduction (optional) ■
- Recording Max 1000H (optional) ■

Digital Radio **PROFESSIONAL DIGITAL TWO-WAY RADIO**

D270Plus



- 400-470MHz ■
- 1W/4W ■
- NXDN+DMR ■
- Stored 128 Channels Capacity ■
- 1600mAh/2500mAh Battery Capacity ■
- 1000 Digital Contacts ■
- Digital Encryption ARC4/AES128/AES256 (optional) ■
- Private/Group/All Call ■
- Digital/Analog Mixed Mode (Automatic recognition) ■
- Emergency Alarm ■
- Monitor ■
- Repeater ■
- Scanning ■
- VOX ■
- DTMF ■
- Firmware Update ■
- Noise Reduction (optional) ■
- Recording Max 1000H (optional) ■



Digital Radio

IP68 PROFESSIONAL DIGITAL TWO-WAY RADIO

D901 Plus



- 400-470MHz ■
- 1W/4W ■
- NXDN+DMR ■
- Stored 128 Channels Capacity ■
- 2000mAh/3000mAh Battery Capacity ■
- 1000 Digital Contacts ■
- Digital Encryption ARC4/AES128/AES256 (optional) ■
- Private/Group/All Call ■
- Digital/Analog Mixed Mode (Automatic recognition) ■
- Emergency Alarm ■
- Monitor ■
- Repeater ■
- Scanning ■
- VOX ■
- DTMF ■
- Firmware Update ■
- Noise Reduction (optional) ■
- Recording Max 1000H (optional) ■
- Type-C Charging (optional) ■

IP68 PROFESSIONAL DIGITAL TWO-WAY RADIO

D910Plus



- 400-470MHz ■
- 1W/4W ■
- NXDN+DMR ■
- Stored 512 Channels Capacity ■
- 2000mAh/3000mAh Battery Capacity ■
- 1000 Digital Contacts ■
- Digital Encryption ARC4/AES128/AES256 (optional) ■
- Private/Group/All Call ■
- Digital/Analog Mixed Mode (Automatic recognition) ■
- Emergency Alarm ■
- Monitor ■
- Repeater ■
- Scanning ■
- VOX ■
- DTMF ■
- Firmware Update ■
- Type-C Charging (optional) ■
- Noise Reduction (optional) ■
- Recording Max 1000H (optional) ■
- GPS (optional) ■



Digital Radio

PROFESSIONAL DIGITAL TWO-WAY RADIO

D35Plus



- 400-470MHz ■
- 1W/4W ■
- Stored 64 Channels Capacity ■
- 2200mAh/2800mAh Battery Capacity ■
- 10000 Digital Contacts ■
- Digital Encryption ARC4/AES128/AES256 (optional) ■
- Private/Group/All Call ■
- Digital/Analog Mode ■
- Emergency Alarm ■
- Monitor ■
- Battery Save ■
- Repeater ■
- Scanning ■
- VOX ■
- DTMF ■
- Recording 300H (optional) ■
- Noise Reduction (optional) ■
- Type-C Charging (optional) ■



Digital Radio 5W DUAL BAND DIGITAL TWO-WAY RADIO

D2000Plus



- 400-470MHz&136-174MHz ■
- 1W/5W ■
- Dual Band/Dual Standby ■
- Stored 3000 Channels Capacity ■
- 2200mAh/2800mAh Battery Capacity ■
- 10000 Digital Contacts ■
- Digital Encryption ARC4/AES128/AES256 (optional) ■
- Private/Group/All Call ■
- Digital/Analog Mode ■
- Emergency Alarm ■
- Keyboard Lock ■
- SMS ■
- Monitor ■
- Battery Save ■
- Repeater ■
- Scanning ■
- VOX ■
- DTMF ■
- Recording 300H (optional) ■
- GPS (optional) ■
- Noise Reduction (optional) ■
- Type-C Charging (optional) ■



Digital Radio **COMMERCIAL DIGITAL TWO-WAY RADIO**

TD200



- 400-470MHz ■
- 1W/4W ■
- Stored 32 Channels Capacity ■
- 2200mAh/3000mAh Battery Capacity ■
- 1024 Digital Contacts ■
- Digital Encryption ARC4 ■
- Private/Group/All Call ■
- Digital/Analog Mode ■
- Emergency Alarm ■
- Monitor ■
- Battery Save ■
- Repeater ■
- Scanning ■
- VOX ■
- DTMF ■
- Recording ■



Digital Radio COMMERCIAL DIGITAL TWO-WAY RADIO

TD300



- 400-470MHz ■
- 1W/4W ■
- Stored 1024 Channels Capacity ■
- 2200mAh/3000mAh Battery Capacity ■
- 1024 Digital Contacts ■
- Digital Encryption ARC4 ■
- Private/Group/All Call ■
- Digital/Analog Mode ■
- Emergency Alarm ■
- Monitor ■
- Battery Save ■
- Repeater ■
- Scanning ■
- VOX ■
- DTMF ■
- Recording ■
- Bluetooth Function (optional) ■

Digital Radio

PORTABLE DIGITAL TWO-WAY RADIO

D500



- 400-470MHz ■
- 1W/4W ■
- Stored 64 Channels Capacity ■
- 1600mAh Battery Capacity ■
- Digital Encryption ARC4 ■
- TDMA Digital Function ■
- Lone Worker ■
- Private/Group/All Call ■
- Dual Capacity Direct Mode and Repeater ■
- Emergency Alarm ■
- Scanning ■
- SMS ■
- TOT ■
- DTMF ■
- Recording 300H (optional) ■

PORTABLE DIGITAL TWO-WAY RADIO

D510



- 400-470MHz ■
- 1W/4W ■
- Stored 1000 Channels Capacity ■
- 1600mAh Battery Capacity ■
- Digital Encryption ARC4 ■
- TDMA Digital Function ■
- Lone Worker ■
- Private/Group/All Call ■
- Dual Capacity Direct Mode and Repeater ■
- Emergency Alarm ■
- Scanning ■
- SMS ■
- TOT ■
- DTMF ■
- Recording 300H (optional) ■



Digital Radio

2W PORTABLE DIGITAL TWO-WAY RADIO

D30

2W



- 400-470MHz ■
- 0.5W/2W ■
- Stored 1000 Channels Capacity ■
- 1600mAh Battery Capacity ■
- 1000 Digital Contacts ■
- Digital Encryption ■
- Private/Group/All Call ■
- Digital/Analog Mode ■
- Emergency Alarm ■
- Monitor ■
- Battery Save ■
- Repeater ■
- Scanning ■
- VOX ■
- DTMF ■

POC Radio

4G DUAL SIM POC RADIO

G200



- 4G Network ■
- 3000mAh Battery Capacity ■
- Support HYDX/RealPTT/XINPTT Platform ■
- Private Call/Group Call/All Call ■
- Member Selection ■
- Cat.1 Module ■
- Display Setting ■
- Keyboard Lock ■
- Backlight Setting ■
- 1.77inch Display ■
- Dual SIM Card ■
- Prompt Tones Setting ■
- Battery Save ■
- Type-C Charging ■

POC Radio

4G PORTABLE POC RADIO



G300



- 4G Network ■
- 4400mAh Battery Capacity ■
- Support HYDX/RealPTT/XINPTT Platform ■
- Private Call/Group Call/All Call ■
- Member Selection ■
- Cat.1 Module ■
- Display Setting ■
- Keyboard Lock ■
- 1.77inch Display ■
- Backlight Setting ■
- Prompt Tones Setting ■
- Battery Save ■
- Type-C Charging ■
- SOS (optional) ■
- GPS (optional) ■

POC Radio

4G DUAL SIM POC RADIO

G800



- 4G Network ■
- 4000mAh Battery Capacity ■
- Support HYDX/RealPTT/XINPTT Platform ■
- Private Call/Group Call/All Call ■
- Member Selection ■
- Cat.1 Module ■
- Display Setting ■
- Keyboard Lock ■
- Backlight Setting ■
- 1.44inch Display ■
- Dual SIM Card ■
- Prompt Tones Setting ■
- Battery Save ■
- Type-C Charging ■
- GPS (optional) ■

POC Radio

MINI 4G

POC RADIO

G30



- 4G Network ■
- 1600mAh Battery Capacity ■
- Support HYDX/RealPTT/XINPTT Platform ■
- Private Call/Group Call/All Call ■
- Member Selection ■
- Cat.1 Module ■
- Display Setting ■
- Keyboard Lock ■
- Backlight Setting ■
- NOAA ■
- Prompt Tones Setting ■
- Battery Save ■
- Type-C Charging ■

Analog Radio

10W LONG RANGE ANALOG TWO-WAY RADIO

Q600/Q610/Q630



400-470MHz/136-174MHz

5W/10W

Stored 16 Channels Capacity

2200mAh/2800mAh Battery Capacity

Voice Report

Compandor

Scrambler

Battery Save

VOX

CTCSS/DCS

Wide/Narrow Band

BCLO

Scanning

SQL

Type-C Charging (optional)

Analog Radio

IP68 10W LONG RANGE ANALOG TWO-WAY RADIO

Q650

10W



400-470MHz/136-174MHz

5W/10W

Stored 16 Channels Capacity

2200mAh/2800mAh Battery Capacity

Detection Frequency

Cloning Mode-Radio to Radio

Voice Report

Compandor

Scrambler

Battery Save

VOX

CTCSS/DCS

Wide/Narrow Band

BCLO

Scanning

Emergency Alarm

SQL

Type-C Charging (optional)

Analog Radio

IP68 10W LONG RANGE ANALOG TWO-WAY RADIO

Q905

10W



400-470MHz/136-174MHz

5W/10W

Stored 16 Channels Capacity

2000mAh/3000mAh Battery Capacity

Detection Frequency

Cloning Mode-Radio to Radio

Voice Report

Scrambler

Battery Save

VOX

CTCSS/DCS

Wide/Narrow Band

BCLO

Scanning

SQL

Emergency Alarm

Type-C Charging (optional)

Analog Radio

12W LONG RANGE ANALOG TWO-WAY RADIO

Q608/Q609

10W



400-470MHz/136-174MHz

Stored 16 Channels Capacity

2800mAh Battery Capacity

5W/10W

SOS

Compandor

Scrambler

Battery Save

VOX

CTCSS/DCS

Wide/Narrow Band

BCLO

Scanning

SQL

1750Hz

Analog Radio

8W LONG RANGE ANALOG TWO-WAY RADIO

A800Plus

8W



- 400-470MHz/136-174MHz
- 5W/8W
- Stored 16 Channels Capacity
- 2200mAh/3000mAh Battery Capacity
- Detection Frequency
- Cloning Mode-Radio to Radio
- Voice Report
- Scrambler
- Battery Save
- VOX
- CTCSS/DCS
- Wide/Narrow Band
- BCLO
- Scanning
- SQL
- Emergency Alarm



Analog Radio

10W DUAL BAND ANALOG TWO-WAY RADIO

10W

A2000

- 400-470MHz&136-174MHz
- 5W/10W
- Stored 2*250 Channels Capacity
- 2200mAh/2800mAh Battery Capacity
- Detection Frequency
- Digital Function(Private Group/All Call)
- Cloning Mode-Radio to Radio
- Air Band Received 108-136MHz
- FM
- Double PTT Design
- Digital Anti Cracking
- Battery Save
- Compandor
- Scrambler
- VOX
- CTCSS/DCS
- Emergency Alarm
- Scanning
- Noise Reduction (optional)
- Type-C Charging (optional)

Analog Radio

5W PROFESSIONAL ANALOG TWO-WAY RADIO

A2

5W



- 400-470MHz/136-174MHz ■
- 1W/5W ■
- Stored 16 Channels Capacity ■
- 1600mAh/2000mAh Battery Capacity ■
- RDA Solution ■
- Group Call ■
- Reverse/Offset ■
- VOX ■
- SQL ■
- DTMF ■
- CTCSS/DCS ■
- Emergency Alarm ■
- BCLO ■
- Tail Elimination ■
- Scanning ■



Analog Radio

5W PROFESSIONAL ANALOG TWO-WAY RADIO

A21

5W

- 400-470MHz/136-174MHz ■
- 1W/5W ■
- Stored 16 Channels Capacity ■
- 1600mAh/2000mAh Battery Capacity ■
- Detection Frequency ■
- Group/All Call ■
- Emergency Alarm ■
- Digital Anti Cracking ■
- Cloning Mode-Radio to Radio ■
- Reverse/Offset ■
- VOX ■
- SQL ■
- DTMF ■
- CTCSS/DCS ■
- BCLO ■
- Tail Elimination ■
- Scanning ■

Analog Radio

5W PROFESSIONAL ANALOG TWO-WAY RADIO

A6

5W



400-470MHz/136-174MHz

1W/5W

Stored 199 Channels Capacity

1600mAh/2000mAh Battery Capacity

RDA Solution

VFR/MR/CH Modes

Password Setting

VOX

FM

DTMF

CTCSS/DCS

Emergency Alarm

BCLO

Tail Elimination

Scanning

Analog Radio

5W IP68 AMATEUR DUAL BAND ANALOG TWO-WAY RADIO

A910

5W



400-470MHz&136-174MHz

Stored 2*250 Channels Capacity

2000mAh/3000mAh Battery Capacity

Detection Frequency

Air Band Received 108-136MHz

Digital Function (Private Group/All Call)

Cloning Mode-Radio to Radio

FM

Digital Anti Cracking

Battery Save

VOX

CTCSS/DCS

Emergency Alarm

Scanning

Recording

Type-C Charging (optional)

Noise Reduction (optional)

Analog Radio

AMATEUR ANALOG TWO-WAY RADIO

A588

5W



- 400-470MHz/136-174MHz
- 1W/5W
- Stored 128 Channels Capacity
- 2200mAh/3000mAh Battery Capacity
- Roger Tone
- NOAA (North America)
- Emergency Alarm
- VOX
- Scanning
- Battery Save
- Beeper
- CTCSS/DCS
- TOT

Analog Radio

5W COMMERCIAL ANALOG TWO-WAY RADIO

H5Plus

5W



- 400-470MHz/136-174MHz ■
- 1W/5W ■
- Stored 16 Channels Capacity ■
- 1600mAh Battery Capacity ■
- Detection Frequency ■
- Cloning Mode-Radio to Radio ■
- Scrambler ■
- VOX ■
- CTCSS/DCS ■
- Scanning ■
- Battery Save ■
- Anti-Cracking ■

Analog Radio

5W AMATEUR ANALOG TWO-WAY RADIO

H510

5W



- 400-470MHz
- 1W/5W
- Stored 250 Channels Capacity
- 1600mAh Battery Capacity
- NOAA (North America)
- Detection Frequency
- Digital Function(Private Group/All Call)
- Cloning Mode-Radio to Radio
- SQL
- BCLO
- CTCSS/DC
- Scanning
- VOX
- Battery Save
- FM
- Noise Reduction (optional)

Analog Radio

2W COMMERCIAL ANALOG TWO-WAY RADIO

A518

2W



400-470MHz/136-174MHz

0.5W/2W

Stored 16 Channels Capacity

4400mAh Battery Capacity

Scrambler

VOX

CTCSS/DCS

Scanning

Compandor

Battery Save

BCLO

SQL

Type-C Charging



2W PORTABLE ANALOG TWO-WAY RADIO

A210



- 400-470MHz
- 0.5W/2W
- Stored 32 Channels Capacity
- 2000mAh Battery Capacity
- NOAA (North America)
- 1.44 LCD Display
- LED Light
- CTCSS/DCS
- Scanning
- VOX
- Battery Save
- FM
- Group Call
- Type-C Charging

Analog Radio

2W COMMERCIAL ANALOG TWO-WAY RADIO

A220



- 400-470MHz/136-174MHz ■
- 0.5W/2W ■
- Stored 16 Channels Capacity ■
- 3000mAh Battery Capacity ■
- Scrambler ■
- VOX ■
- CTCSS/DCS ■
- Scanning ■
- Compandor ■
- Battery Save ■
- Detection Frequency ■
- Cloning Mode-Radio to Radio ■
- Anti-cracking ■
- Type-C Charging ■

Analog Radio

2W MINI ANALOG TWO-WAY RADIO

H2Plus

2W



- 400-470MHz/136-174MHz ■
- 0.5W/2W ■
- Stored 16 Channels Capacity ■
- 1200mAh Battery Capacity ■
- Mini and Portable ■
- Scrambler ■
- VOX ■
- CTCSS/DCS ■
- Scanning ■
- Battery Save ■
- Detection Frequency ■
- Cloning Mode-Radio to Radio ■
- Type-C Charging ■

Analog Radio

2W PORTABLE ANALOG TWO-WAY RADIO

F10

2W



- 400-470MHz
- 0.5W/2W
- Mini and Lightweight
- Stored 16 Channels Capacity
- 1200mAh Battery Capacity
- Double PTT
- VOX
- Monitor
- CTCSS/DCS
- Scanning
- Micro USB Charging

Analog Radio

2W PORTABLE DISPLAY ANALOG TWO-WAY RADIO

F20

2W



- 400-470MHz
- 0.5W/2W
- Mini and Lightweight
- Stored 16 Channels Capacity
- 1200mAh Battery Capacity
- Double PTT
- VOX
- Monitor
- CTCSS/DCS
- Scanning
- Type-C Charging

Analog Radio

2W PORTABLE ANALOG TWO-WAY RADIO

F30

2W



- PMR/FRS/RCM
- Stored 22/16/80 Channels Capacity
- 1600mAh Battery Capacity
- NOAA (FRS Version)
- Roger Beep
- Call Beep
- Group Call
- Monitor
- VOX
- CTCSS/DCS
- Scanning
- LCD Display
- Type-C Charging
- 400-470MHz version (optional)



Have you ever considered what walkie talkie consisted of?

Antenna、Housing、Aluminum frame、PCB and many small parts.



What is the difference between DMR radio and analog radio?

Unlike analog radio, DMR uses a digital vocoder to create a clear voice signal, minimizing environmental noise and delivering an easily audible message. Where an analog signal would degrade as coverage decreases, digital radio maintains high quality to the edge of coverage area.



How can I get sample?

First contact us, let us know what model you want, and we will send you a quotation.



What is the best analog radio?

Which most suitable is the best. If you want a commercial radio, you can choose our A2 and A6 series. If you want a long-distance radio, you can choose Q608 and Q600 series. If you want a lightweight radio, you can choose F10 series. If you have any questions, please contact us.



What is the best digital radio?

Which most suitable is the best. If you want a more cost-effective model, you can choose D500 and D800 series. Our DMR radios sell well in Europe and America. If you want a full keyboard with display, we recommend D910Plus and D2000Plus series.



What is your terms of payment?

T/T, PayPal



What is your warranty service?

6 months for radio accessories. 12 months for radio body unit.



Can I add my logo on the radio?

Yes, OEM services are warmly welcome, including customized package design and printing.



What is your MOQ?

For sample ,we can accept 2 pcs MOQ testing;
For customized, we can accept 500pcs-2000pcs for your order. (Depending on the specific model);
For HYDX branded, please feel free to contact us for more details.



VARIETY ACCESSORIES TO CHOOSE FROM!

Earpieces (Type-Kenwood/Motorola/USB-C etc.)

- Portable, Easy for use, Clean voice
- More features
- VOX optional
- Noise Reduction



Programming Cables (For different type)

- Compatible with different series and models of HYDX.



Charging Cables

- Type-C/Micro USB/ I & Y Cables
- Fast, convenient, and efficient



Desktop Chargers (Unit/Multi)

- Safe and stable charging method



Batteries

- Different type/capacity for portable radios
- Overcurrent protection & Safe & High capacity



Belt Clips

- Different type for portable radios
- Secure and reliable



Antennas (Portable Radio Replacement Antenna)

- VHF/UHF/Other frequency band





Support Overseas
ODM&OEM Production



Support
Overseas Delivery



Reduce Taxes

We have an overseas plant located in Malaysia, which can enhance production and delivery capabilities and reduce customs clearance taxes for overseas customers.
(For import policies of some countries)

We focus
and always do



Company Website

Fujian Juston Electronic Equipment Co.,LTD.

Website: www.hydxdradio.com

E-mail: oversea@odmradio.com Tel: 86-0595-28563681

Skype: live:..cid.72f8b8ca924dcd12

Instagram: [hydxradio](https://www.instagram.com/hydxradio)

Whatsapp/Wechat: +8615906081133

Add: No.886 Changfeng Street, Licheng District,Quanzhou ,Fujian ,China 362000.